COPYRIGHT BY TAKUMIZIMA

In order to meet customer's satisfaction, we modify our products continuously. All products presenting in the catalogue are only for reference.

WANT TO LEARN

more about our solutions?





THE LEADER OF THERMOSTATIC MIXERS

Takumizima design process stays ever alert to emerging megatrends, with new products developed in ways that are highly responsive to consumers' changing needs

2021 / 2022 FULL- LINE CATAL

• FAUCETS • SHOWER SYSTEM • BATH ACCESSORIES TAKUMIZIM

TOP QUALITY

A faucet of superior quality includes thoughtful innovation and unrivaled performance.

QUALITY ASSURANCE



Shining Surface



Intelligent Constant Temperature



Adjustable Temperature



Silk Move



Prevent Water Channeling



Water-Saving



Excellent copper



Secure Stop, More Safety



Eco-friendly and low-lead

COLOR



00: Chrome



01: Brushed Nickel



03: Anti-brass



06: Black Paint



07: Gold



13: White Paint



15: Oil Rubbed Bronze



16: Rose Gold



31: PVD Gold



34: White+Chrome



35: White+Gold



Mat White



39: Mat black paint



40: Mat black+Chrome



50: Mat black plating



51: Brushed Gold



55: PVD Gun metal grey



56: Lightgrey TAKUMIZIMA:
THE PURSUIT OF
PERFECTION



Advanced Hardware Platform Leading R & D Capabilities.

achieving excellence in anything is a journer, a constant pursuit of perfection. For TAKUMIZIMA anh the great craftsmen we employ, this journey has led to our company being recognized as one of the finest makers of faucets any-where in the word























ARCHITECTS & INTERIOR DESIGNERS

Each project, large or small, requires the same attention to detail both technically and aesthetically, because living comfortably the spaces is the first step toward wellness. That's why we offer many services to designers, by being always ready to listen attentively to the future.

- Yachts
- Wellness & Spa
- Residentials
- Self Apartments and Houses
- Commercial
- Hotel and Suite Rooms






Shower Solution for maximum of relaxation and


Exposed and concealed installation solutions

Various spray modes for hand and overhead showers make showering even more enjoyable




Hand shower or shower set

The basic solution is easy to install and gives you an indulgent shower experience.




CoolContact: safe and indulgent showering

The CoolContact cooling technology stops the thermostatic mixer's housing getting too hot. It also means there is no more risk of children burning their delicate hands.




Exposed thermostatic mixers

Exposed sulution by Takumizima can be installed with lititle effort to add a technical and visual enhacement to bathrooms




Pressure balance showers

A Pressure Balance shower elevates simplicity above all else. A single handle turns the water on and off while delivering the desired temperature.



Shower family

The concealed solution for customized shower design. From the waterfall to the all-round indulgence of side showers.





Exposed thermostatic showers

The all-in-one system with overhead shower, hand shower and thermostatic mixer. The perfect solution for simple bathroom renovation.

TAKUMIZIMA-THE LEADER OF THERMOSTATIC MIXERS

Takumizima thermostatic shower mixers have a built-in thermostat which control the temperature of water, this means that the water temperature is unaffected by other factors, such as a washing machine or someone flushing a toilet.










TAKUMIZIMA new built-in system makes was installaiton of the thermostatic mixer easier even before tiling or plaster works and allows for the adjustment of the adjustment of the valve in the right position and guides for required depth of the wall recess. A safe system that protects the mixer from debris and gives easy access for the maintence and replacement of the cartridges and filters


Technical Reference

Operating pressure	0.05 Mpa — 0.8Mpa
Recommended pressure	0.1 Mpa - 0.5 Mpa
Cold water temperature	4°C - 29°C
Hot water temperature	50°C - 80°C
Temperature range	20°C - 49°C
Security stop	38℃
Cold water supply failure test	Within 5 seconds after cold water supply fails, outflow rate automatically drops to 1.9L/Min, outflow quantity: ≤ 150ml.
Life test	CSA B125-98 ASSE1016 (≤100,000 cycles)
Outflow temperature Auto-aligning sensitivity	When inlet water temperature or pressure varies,outlet water temperature change will be less than ±2°C
Standard Apply	CSA B125-98 ASSE 1016 EN1111 AS-4032.1

Installation Guide



PRESSURE BALANCE VALVE




LEGIONELLA BACTERIA

131°F

Legionella bacteria (responsible for Legionnaire's Disease, a type of pneumonia) apparently love water heaters, and can proliferate at temperatures up to 120°F - exactly where many energy-conscious folks recommend setting the thermostat. For these and other bacteria, the game's over around 140°F. Since temperatures within the tank are stratified, there's a good chance that if Legionella were introduced, they would thrive in a tank set at 120°F; at 140°F, this is unlikely.

TAKUMIZIMA PRESSURE BALANCE VALVES

Monitors water pressure to balance temperature react to the pressure of hot or cold water and adjust the outflow of hot/cold water source, to ensure the water doesn't suddenly get colder or hotter when it comes out of the shower nozzle.



Function

TAKUMIZIMA wall-mount pressure balance shower system has 1 to 3 functions to choose, which fits all your requirements and brings you a different luxury and unique shower experience

1-2 -function pressure balance valve













3-function pressure balance valve





















































































LUXURIOUS THERMOSTATIC MIXERS COLLECTIONS

CONCEALED SOLUTIONS FOR MAXIMUM EASE AND PRECISION.





TAKUMIZIMA LUXURIOUS THERMOSTATIC MIXERS COLLECTIONS

We only consider a faucet to be perfect when it fits perfectly. When every angle, every edge, every surface and every distance is correct to the very last millimeter. Especially when it comes to concealed installations. Because here, functionality and a flawless finish are equally important.















FC-B010102

Wall-Mounted rain shower faucet (Chrome) 600x600mm - SUS 304 Head





















Wall-Mounted rain shower faucet

580x500mm - SUS 304 Head

FC-B01013C

....

(Chrome)



Wall-Mounted rain shower faucet (Black) 580x500mm - SUS 304 Head



FC-B01013T

Wall-Mounted rain shower faucet (Titan) 580x500mm - SUS 304 Head



FC-4029BC

Wall-Mounted rain shower faucet (Chrome) 550x240mm -Brass Head







FC-4029B

Wall-Mounted rain shower faucet (Black) 550x240mm -Brass Head









FC-4005-2



FC-4005-3





FC-4050-2



FC-4050T-3



FC-4004-2



FC-4033

FC-4032B

FC-4034

FC-4035



















FC-4031

FC-4031

FC-4031



LAMBERT COLLECTIONS

Sensuousness and character in a brand new design.

















FE-1300 Floor standing bath faucet (Black)



FC-4011 Floor standing bath faucet (Chrome)

FC-8003A-C Floor standing Basin faucet (Chrome)









SEEME

COLLECTION FROM TAKUMIZIMA



SEEME COLLECTIONS

striking combinations state-of-the-art surface finishes.







SEEME COLLECTIONS

COLLECTION FROM TAKUMIZIMA


Harmonious colour mix, clear contrast of layers and various expression ways, entirely keep the clean and smooth of whole space, rich in imagination.






ADJUSTABLE BAR

Adjustable bar that allows you to modify the position of the shower head.



ADJUSTABLE WALL SUPPORT

The perfect wall support to take advantage of existing holes, avoiding re-drill holes on the tiles again.



TEMPERATURE CONTROL 38°C safety level, maximum 49°C

Max. 49°C

41°C 38°C 35°C



SM-050B

Pull-out Basin faucet (Mate black Plating)



SM-05B

Pull-out Basin faucet (PVD Gun metal grey with mat black)



SM-05B

SM-03B

Basin faucet

(Mate black)

Basin mixer (PVD Gun metal grey)



SM-06B

Basin faucet

(Mate black)

SM-06

SM-239

In-wall Basin mixer

Basin mixer (PVD Gun metal grey)



SM-04B

Basin faucet (Mate black)



SM-02

Basin mixer (PVD Gun metal grey)



SM-888B

Thermostatic rain shower faucet (Matt Black with brushed gold) 250mm - ABS head



SM-999B

Grey)

Thermostatic rain

(PVD Gun metal

250mm - ABS head

shower faucet

2-Hole Basin mixer (Mate black)



SM-239A

In-wall Basin mixer (Mat-black with Red)



SM-55

In-wall Basin mixer (PVD Gun metal grey)



SM-955

2-Hole Basin mixer (PVD Gun metal grey)



SM-555


Thermosratic Bath/ shower faucet (PVD Gun metal grey)





UNIVERSAL CONNECTOR:

The universal connector is made of high quality brass, and the left and right 360-degree rotation design makes it easy to adjust the optimal shower position at different heights and angles, so that you can enjoy the shower in all domains.



AIR INJECTION TECHNOLOGY:

TAKUMIZIMA shower head with adoption of innovative air injection technology, mixes water with air to increase the water pressure to 100%, and simulates the natural raining; save up to 30% on water at the same time, which is a perfect solution for areas with low water pressure!





SEEME THERMOSTATIC SHOWER SYSTEM

THE PERFECT UNION BETWEEN DESIGN AND ENGINEERING.

ELEGANT COLLECTION FROM TAKUMIZIMA


AN EXPLORATION INTO COLOUR

















Brushed gold

A material with extraordinary appeal: Brass fascinates with a warm hue of gold that elevates any interior.









EL-01520G **EL-1521G**

EL-1522G

EL-1520-1G Basin faucet Basin faucet



EL-1522-1G Basin faucet



Basin faucet

EL-1532G 2-Hole basin faucet



Basin faucet

EL-1541G Wall-mounted basin faucet



PK-5205G1



PK-5211G1





PK-5207G1



EL-1451G





PK-5209G1



PK-5203G1



PK-5201G1



PK-5212G1



PK-5202G1



PK-5204G1



PK-5210G1

PK-5206G1

PK-5208G1










PVD Gunmetal

This sturdy tone with its smooth finish will support any interior with a slice of shadow and serenity.











EL-2455T Basin faucet



EL-2055T Basin faucet



EL-2255T Basin faucet



EL-2155T Basin faucet



EL-T325 Basin faucet

EL-6555T

Basin faucet



EL-2355T 2-Hole basin faucet

EL-7455T

Thermostatic

shower faucet



EL-9155T Wall-Mounted Basin faucet



EL-T307 Thermostatic bath/



shower faucet








COSTA COLLECTIONS

Keep roughly and natural style in chain, emphasize that the Function to increase at the same time beautiful, each inch place even shoes the nobility because gather together the technology essence.



Individuality

A well-thought-out design that accompanies us through our day quite naturally. COSTA does not embody a highly stylish bathroom. It embodies authenticity that adapts to the individual style and needs of the people who use it.




Discover the fascinating COSTA TAKUMIZIMA product range:

Expressive bathroom fitting designs for washbasin, shower and bath.











Thermostatic rain

250x250mm ABS head

shower faucet

(Chrome)



COS-1427C

CS-1142C



COS-1459C FC-4207A Thermostatic rain Thermostatic shower faucet shower set (Chrome) (Chrome) 250x250mm ABS head

COSTA COLLECTIONS

The design language of COSTA makes it unique in its versatility. It is the ideal collection of Takumizima for those whi want to make their own ideas of a perfect bathroom a reality.











Basin faucet





Ketchen faucet







COS-1427G Basin faucet

CS-1141G

Basin faucet



COS-1428G Basin faucet

COS-1429G Basin faucet



COS-4033G-1 Wall-Mounted rain shower faucet (25cm-ABS head)



COS-4033G-2 Wall-Mounted rain shower faucet (25cm-ABS head)



TAKUMIZIMA







COS-4433D-1 Wall-mounted rain shower faucet 250x250mm-ABS head 250x250mm-ABS head



COS-4433D-2 Wall-mounted rain shower faucet



Basin faucet

CS-1141B Basin faucet



CS-1427B Thermostatic bath/ shower faucet



CS-1142B Wall-Mounted Basin faucet



KFC-4630B Kitchen faucet









EL-1451D Thermostatic rain shower faucet

290x190mm-ABS head



FC-4027D Thermostatic shower set




Specific solutions to improve the comfort of your bathroom without the need for masonry work.





JOYCE COLLECTIONS

Smart ideas for your bathroom.





TAKUMIZIMA







A NEW LIFE ARISES FROM THE HEART REALM



TAKUMIZIMA

FC-102G Basin faucet (Gold)



FC-104G Basin faucet (Gold)





FC-102T Basin faucet (PVD Gun metal grey)



FC-104T Basin faucet (PVD Gun metal grey)



FC-181C Basin faucet (Chrome)



FC-181B Basin faucet (Mat-Black)



FC-4321
Basin faucet (Chrome)



FC-102CW Basin faucet (Chrome with white)



FC-104CW
Basin faucet
(Chrome with white)



FC-182C Basin faucet (Chrome)



FC-182B
Basin faucet
(Mat-Black)



FC-4309
Basin faucet (Chrome)



FC-102C
Basin faucet
(Chrome)



FC-104C
Basin faucet
(Chrome)




KFC-581C Kitchen faucet (Chrome)



KFC-581C Kitchen faucet (Mat-Black)




FC-4306A
Basin faucet
(Chrome)





Design

With their slender contours and simple design, the faucets of Allen Collection radiate lightweight elegance in an enormous number of variations. Preserving the maximum care to details, it combines the elegance of shapes with high functionality.











EARL COLLECTIONS

Architectural details combine with clean lines to form the Earl Collection. The unique design idea and the simple and practical style are the perfect combination of modern technology and living art.





PHOENIX COLLECTIONS

LFC-0034





LFC-1534



LPK-00615

LPK-00815

LPK-09015



LPK-01115

LPK-00715



AUGUSTUS COLLECTIONS

Augustus Collection deeply illuminated by Chinese tea culture and porcelain culture. Original tea pot design, ceramic and jade stone decorate which full of Chinese classical flavor. Each detail is showing its unique individuality and larruping fascination.





LFC-0731

LFC-0700









LPK-20131

LPK-20231

LPK-21231

LPK-21131











LPK-21031 LPK-20731 LPK-20631 LPK-20831

LPK-20531






KITCHEN MIXERS












TKM-136 Size: 680x405x500mm S-trap: 300/305mm





TKM-133 Size: 682x405x480mm S-trap: 300/305mm






TKM-130

Size: 682x413x466mm S-trap: 300/305mm

INTELLIGENT ToileT



TKM-131 Size: 682x413x461mm S-trap: 300/305mm







TKM-133 Size: 679x405x480mm S-trap: 300/305mm



TKM-120 Size: 680x420x555mm S-trap: 300/305mm







TKM-132 Size: 683x423x480mm S-trap: 300/305mm











CONCEALED system





Size: 400 × 127× (1071~1193) mm FIXING TO WALL WITH BACK



TKM-113 Size: 400 × 127× (1071*1193) mm FIXING TO WALL WITH BACK



TKM-113B



GB-01 Size: 400 × 127× (1071~1193) mm FIXING TO WALL WITH BACK SIZE: 500X113X120 mm FIXING TO WALL WITH BACK

















TKM-150

TKM-150MB

TKM-150MG

·Rimless flush






TKM-150

WALL HUNG TOILET


Size:490x365x360mm Flusing system:washdown




TKM-150B

WALL HUNG BIDET

Size:490x365x320mm Fixing to wall with back










TKM-152

WALL HUNG TOILET


Size:500x345x350mm Flusing system:washdown



TKM-152B

WALL HUNG BIDET

Size:500x345x310mm Fixing to wall with back





·Slim seat cover







TKM-101 Size: 710x385x725mm S-trap: 300/305mm



TKM-106 Size: 715x405x575mm S-trap: 300/305mm



TKM-118Size: 688x365x770mm
S-trap: 300/305mm



TKM-134F Size: 730x415x750mm S-trap: 300/305mm



TKM-102 Size: 690x370x770mm S-trap: 300/305mm



TKM-103 Size: 755x510x557mm S-trap: 300/305mm



TKM-274 Size: 705x365x730mm S-trap: 300/305mm



TKM-135F Size: 730x415x750mm S-trap: 300/305mm



Size: 730x450x645mm S-trap: 300/305mm



TKM-116Size: 715x388x645mm
S-trap: 300/305mm



TKM-6607 Size: 700x385x750mm S-trap: 300/305mm



TKM-137F Size: 670x375x750mm S-trap: 300/305mm





BS-260 Size: 590x390x130mm Under counter mounting



Size: 630x410x150mm Above counter mounting





BS-200 Size: 465x465x175mm Above counter mounting



BS-203 Size: 500x390x130mm Above counter mounting



BS-250 Size: 435x435x155mm Above counter mounting



BS-253 Size: 430x430x180mm Above counter mounting



BS-221 Size: 520x417x158mm Above counter mounting



BS-222 Size: 600x415x130mm Above counter mounting



BS-223 Size: 605x465x210mm Above counter mounting



BS-202 Size: 500x395x135mm Above counter mounting



BS-251 Size: 485x380x135mm Above counter mounting



BS-257 Size: 460x460x200mm Above counter mounting



BS-258 Size: 590x410x150mm Above counter mounting



BS-256 Size: 602x395x185mm Above counter mounting



BS-270 Size: 555x445x470mm Fixing to wall with back



BS-240A.B Size A:470x388x197mm Siza B:488x410x197mm Under counter mounting



BS-201M Size: 405x405x145mm Above counter mounting



BS-201MB Size: 405x405x145mm Above counter mounting



BS-201MG Size: 405x405x145mm Above counter mounting



BS-272 Size: 460x460x370mm Fixing to wall with back



BS-242A.B Size A:460x355x190mm Siza B:533x370x197mm Under counter mounting



BS-227M Size: 610x350x115mm Above counter mounting



BS-227MB Size: 610x350x115mm Above counter mounting



BS-227MG Size: 610x350x115mm Above counter mounting



BS-273 Size: 530x440x360mm Fixing to wall with back





BS-228M Size: 500x390x130mm Above counter mounting



BS-228MB Size: 500x390x130mm Above counter mounting



BS-228MG Size: 500x390x130mm Above counter mounting





BS-649 Size: 580X360X110mm Above counter mounting



Size: 600X390X90mm Above counter mounting UNCOMMON



BS-697C Size: 600x380x120mm Above counter mounting



BS-698C Size: 500x380x120mm Above counter mounting



BS-689C Size: 600x380x120mm Above counter mounting





BS-902 Size:555x425x150mm Fixing to wall with back



E-80 Size: 800x460x180mm Mounting above cabinet



CABINET WASH BASIN

E-100 Size: 1000x460x180mm Mounting above cabinet



E-60 Size: 600x460x180mm Mounting above cabinet



E-120 Size: 1200x460x180mm Size: 1500x460x180mm Mounting above cabinet



E-120D Size: 1200x460x180mm Size: 1500x460x180mm Mounting above cabinet



C-60 Size: 600x460x180mm Mounting above cabinet



C-80 Size: 800x460x180mm Mounting above cabinet



C-100 Size: 1000x460x180mm Mounting above cabinet



C-120 Size: 1200x460x180mm Mounting above cabinet



C-120D Size: 1200x460x180mm Mounting above cabinet